



MountClear College

STUDENT HEALTH POLICIES

This document contains Mount Clear College policies relevant to the students' health and includes:

- **First Aid Policy**
- **Anaphylaxis Policy**
- **Administration of Medication Policy**
 - **APPENDIX I - Medication Authority Form**
 - **APPENDIX 2 - Medication Administration Log**
- **Health Care Needs Policy**



MountClear College

First Aid Policy

Purpose

To ensure the school community understands our school's approach to first aid for students.

Scope

First aid for anaphylaxis and asthma are provided for in our school's:

- Anaphylaxis Policy
- Asthma Policy

Policy

From time to time Mount Clear College staff might need to administer first aid to students at school or school activities.

Parents/carers should be aware that the goal of first aid is not to diagnose or treat a condition.

Staffing

The Principal will ensure that Mount Clear College has sufficient staff with the appropriate levels of first aid training to meet the first aid needs of the school community.

Mount Clear College have a number of trained staff, however the daily response trained first aid officers are:

- Leanne Blasic
- Jodie Handley

First aid kits

Mount Clear College will maintain:

- Major first aid kits which will be stored in First Aid, SHAAC, Staffrooms, Earth Ed, the Language Centre and front office
- Portable first aid kit/s which may be used for excursions, camps, or yard duty. The portable first aid kit/s will be stored:
 - First Aid
 - Leanne Blasic will be responsible for maintaining all first aid kits

Care for ill students

Students who are unwell should not attend school.

If a student becomes unwell during the school day they may be directed to the First Aid office and monitored by staff. Depending on the nature of their symptoms, staff may contact parents/carers or an emergency contact person to ask them to collect the student.

First aid management

If there is a situation or incident which occurs at school or a school activity which requires first aid to be administered to a student:

- Staff who have been trained in first aid will administer first aid in accordance with their training. In an emergency situation, other staff may assist in the administration of first aid within their level of competence.

- In a medical emergency, staff may take emergency action and do not need to obtain parent/carer consent to do so. Staff may contact Triple Zero “000” for emergency medical services at any time.
- Staff may also contact NURSE-ON-CALL (on 1300 60 60 24) in an emergency. NURSE-ON-CALL provides immediate, expert health advice from a registered nurse and is available 24 hours a day, 7 days a week.
- If first aid is administered for a serious injury or condition, or in an emergency situation, school staff will attempt to contact parents/carers or emergency contacts as soon as reasonably practical.
- If staff providing first aid determine that an emergency response is not required but that medical advice is needed, school staff will ask parents/carers, or an emergency contact person, to collect the student and recommend that advice is sought from a medical practitioner.
- Whenever first aid treatment has been administered to a student Mount Clear College will:
 - record the incident on CASES21 and Worksafe if required
 - if first aid was administered in a medical emergency, report the incident to the Department's Incident Management and Support Unit on 1800126126

In accordance with guidance from the Department of Education and Training, analgesics, including paracetamol and aspirin, will not be stored at school or provided as a standard first aid treatments. This is because they can mask signs of serious illness or injury.

Accidents & Incidents Register

A register of all accidents and incidents (incidents classified by First Aid Officer as requiring further medical attention) that occur at our College is maintained in a hard copy register at the First Aid room.

CASES 21 is utilised to record all accidents and incidents (as described above).

Further Information and Resources

Mount Clear College Asthma Policy

Mount Clear College Anaphylaxis Policy

Mount Clear College Administration of Medication Policy

Mount Clear College Health Care Needs Policy

Medication Log Template

Medication Authority Template

Review Cycle and Evaluation

Version Date	February 2018, additional update June 2020 with new PAL Hyperlinks
Policy Date	March 2021
School Council Approval Date	Not Required
Person Responsible	Student Services Coordinator
Required Communication Methods	Staff Handbook / Induction process Staff Briefing / Bulletin Student Information Pack Newsletter Annually School website Compass
Next Review Date	March 2025
References	https://www2.education.vic.gov.au/pal/first-aid-students-and-staff/policy



MountClear College

Anaphylaxis Policy

Purpose

To explain to Mount Clear College parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Mount Clear College is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

Scope

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

Policy

School Statement

Mount Clear College will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

Symptoms

Signs and symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Mount Clear College who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the Principal of Mount Clear College is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Mount Clear College and where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student that has not expired;
- participate in annual reviews of the student's Plan.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan
- information about where the student's medication will be stored
- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Management Plans

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline autoinjectors

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis at First Aid, together with the student's adrenaline autoinjector. Adrenaline autoinjectors that is clearly labelled with the student's name.

Risk Minimisation Strategies

To reduce the risk of a student suffering from an anaphylactic reaction at Mount Clear College, we have put in place the following strategies:

- staff and students are regularly reminded to wash their hands
- students are discouraged from sharing food
- gloves must be worn when picking up papers or rubbish in the playground;
- school canteen staff are trained in appropriate food handling to reduce the risk of cross-contamination
- a general use EpiPen will be stored at the school canteen, office, first aid, Earth Ed, Language Centre, staff rooms and SHAAC for ease of access.
- Planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending.

Adrenaline autoinjectors for general use

Mount Clear College will maintain a supply of adrenaline autoinjector(s) for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school.

Adrenaline autoinjectors for general use will be stored at and labelled "general use" – school canteen, Front Office, First Aid, Earth Ed, Language Centre, staffrooms and SHAAC.

The Principal is responsible for arranging the purchase of adrenaline autoinjectors for general use, and will consider:

- the number of students enrolled at Mount Clear College at risk of anaphylaxis
- the accessibility of adrenaline autoinjectors supplied by parents
- the availability of a sufficient supply of autoinjectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline autoinjectors, and the need for general use adrenaline autoinjectors to be replaced when used or prior to expiry.

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school's general first aid procedures, emergency response procedures and the student's Individual Anaphylaxis Management Plan.

A complete and up-to-date list of students identified as being at risk of anaphylaxis is maintained by the First Aid Attendant and stored at First Aid. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1	<ul style="list-style-type: none"> • Lay the person flat • Do not allow them to stand or walk • If breathing is difficult, allow them to sit • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's Individual Anaphylaxis Management Plan, stored at First Aid and available electronically on Compass • If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5
2	<p>Administer an EpiPen or EpiPen Jr (if the student is under 20kg)</p> <ul style="list-style-type: none"> • Remove from plastic container • Form a fist around the EpiPen and pull off the blue safety release (cap) • Place orange end against the student's outer mid-thigh (with or without clothing, avoiding seams) • Push down hard until a click is heard or felt and hold in place for 3 seconds • Remove EpiPen • Note the time the EpiPen is administered • Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration
3	Call an ambulance (000)
4	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.
5	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

Note: If in doubt, it is better to use an adrenaline autoinjector than not use it, even if in hindsight the reaction is not anaphylaxis. Under-treatment of anaphylaxis is more harmful and potentially life threatening than over-treatment of a mild to moderate allergic reaction. Refer to [Frequently asked questions — Anaphylaxis](#). <https://www2.education.vic.gov.au/pal/anaphylaxis/guidance>

Communication Plan

This policy will be available on Mount Clear College website so that parents and other members of the school community can easily access information about Mount Clear College's anaphylaxis management procedures. The parents and carers of students who are enrolled at Mount Clear College and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The Principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen staff and volunteers are aware of this policy and Mount Clear College's procedures for anaphylaxis management. Casual relief staff and volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also receive a verbal briefing on this policy by the Daily Organiser and their role in responding to an anaphylactic reaction and where required, the identity of students at risk.

The Principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's *Anaphylaxis Guidelines*.

Staff training

The Principal will ensure that the following school staff are appropriately trained in anaphylaxis management:

- All School staff including teaching and education support will undertake the eLearning module annually and will be assessed as competent with an accredited person.

The First Aid Attendant and one other person will be required to undertake additional training and must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

Mount Clear College uses the following training course ASCIA eTraining course 22303VIC Course in Verifying the Correct use of Adrenaline Autoinjector Devices.

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by the First Aid Attendant who has successfully completed an anaphylaxis management course within the last 2 years. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

When a new student enrolls at Mount Clear College who is at risk of anaphylaxis, the Principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

The Principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.

Further Information and Resources

- Policy and Advisory Library:
 - [Anaphylaxis](#)
- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)
- Mount Clear College Asthma Policy
- Mount Clear College First Aid Policy
- Mount Clear College Administration of Medication Policy
- Mount Clear College Health Care Needs Policy
- Medication Log Template
- Medication Authority Template

Review Cycle and Evaluation

Version Date	October 2018, additional update June 2020 with new PAL Hyperlinks
Policy Date	March 2021
School Council Approval Date	Not Required
Person Responsible	Student Services Coordinator
Required Communication Methods	Staff Handbook / Induction process Staff Briefing / Bulletin Student Information Pack Newsletter Annually School website Compass Mandatory staff training (twice yearly)
Next Review Date	March 2022
References	<ul style="list-style-type: none">• Policy and Advisory Library:<ul style="list-style-type: none">○ Anaphylaxis• Allergy & Anaphylaxis Australia: Risk minimisation strategies• ASCIA Guidelines: Schooling and childcare• Royal Children's Hospital: Allergy and immunology• https://www2.education.vic.gov.au/pal/anaphylaxis/guidance• Mount Clear College Asthma Policy• Mount Clear College First Aid Policy• Mount Clear College Administration of Medication Policy• Mount Clear College Health Care Needs Policy• Medication Log Template• Medication Authority Template• https://www2.education.vic.gov.au/pal/anaphylaxis/resources Individual Anaphylaxis Management Plan



Administration of Medication Policy

Purpose

To explain to parents/carers, students and staff the processes Mount Clear College will follow to safely manage the provision of medication to students while at school or school activities, including camps and excursions.

Scope

This policy applies to the administration of medication to all students. It does not apply to:

- the provision of medication for anaphylaxis which is provided for in our school's Anaphylaxis Policy
- the provision of medication for asthma which is provided for in our school's Asthma Policy
- specialised procedures which may be required for complex medical care needs.

Policy

If a student requires medication, Mount Clear College encourages parents to arrange for the medication to be taken outside of school hours. However, Mount Clear College understands that students may need to take medication at school or school activities. To support students to do so safely, Mount Clear College will follow the procedures set out in this policy.

Authority to administer

If a student needs to take medication while at school or at a school activity:

- Parents/carers will need to arrange for the student's treating medical/health practitioner to provide written advice to the school which details:
 - the name of the medication required
 - the dosage amount
 - the time the medication is to be taken
 - how the medication is to be taken
 - the dates the medication is required, or whether it is an ongoing medication
 - how the medication should be stored
- In most cases, parents/carers should arrange for written advice to be provided in a Medication Authority Form which a student's treating medical/health practitioner should complete. (Appendix I)
- If advice cannot be provided by a student's medical/health practitioner, the principal (or their nominee) may agree that written authority can be provided by, or the Medication Authority Form can be completed by a student's parents/carers. (Appendix I)
- The principal may need to consult with parents/carers to clarify written advice and consider student's individual preferences regarding medication administration (which may also be provided for in a student's Student Health Support Plan).

Parents/carers can contact the First Aid Office for a Medication Authority Form.

Administering medication

Any medication brought to school by a student needs to be clearly labelled with:

- the student's name
- the dosage required
- the time the medication needs to be administered.

Parents/carers need to ensure that the medication a student has at school is within its expiry date. If school staff become aware that the medication a student has at school has expired, they will promptly contact the student's parents/carers who will need to arrange for medication within the expiry date to be provided.

If a student needs to take medication at school or a school activity, the principal (or their nominee) will ensure that:

1. Medication is administered to the student in accordance with the Medication Authority Form:
 - so that the student receives their correct medication
 - in the proper dose
 - via the correct method (for example, inhaled or orally)
 - at the correct time of day
 - as per the medication instructions unless otherwise specified by a treating practitioner
2. A log is kept of medicine administered to a student - using the Medication Administration Log template. (Appendix II)
3. Where possible, two staff members will supervise the administration of medication.
4. The teacher in charge of a student at the time their medication is required:
 - is informed that the student needs to receive their medication
 - if necessary, release the student from class to obtain their medication.

Self-administration

In some cases it may be appropriate for students to self-administer their medication. The principal may consult with parents/carers and consider advice from the student's medical/health practitioner to determine whether to allow a student to self-administer their medication.

If the Principal decides to allow a student to self-administer their medication, the principal may require written acknowledgement from the student's medical/health practitioner, or the student's parents/carers that the student will self-administer their medication.

Storing medication

The Principal (or their nominee) will put in place arrangements so that medication is stored:

- securely to minimise risk to others
- in a place only accessible by staff who are responsible for administering the medication
- away from a classroom (unless quick access is required)
- away from first aid kits
- according to packet instructions, particularly in relation to temperature

For most students, Mount Clear College will store student medication in the First Aid Office.

The Principal may decide, in consultation with parents/carers and/or on the advice of a student's treating medical/health practitioner:

- that the student's medication should be stored securely in the student's classroom if quick access might be required
- to allow the student to carry their own medication with them, preferably in the original packaging if:
 - the medication does not have special storage requirements, such as refrigeration
 - doing so does not create potentially unsafe access to the medication by other students.

Warning

Mount Clear College will not:

- in accordance with Department of Education and Training policy, store or administer analgesics such as aspirin and paracetamol as a standard first aid strategy as they can mask signs and symptoms of serious illness or injury
- allow a student to take their first dose of a new medication at school in case of an allergic reaction. This should be done under the supervision of the student's parents, carers or health practitioner
- allow use of medication by anyone other than the prescribed student except in a life threatening emergency, for example if a student is having an asthma attack and their own puffer is not readily available.

Medication error

If a student takes medication incorrectly, staff will endeavour to:

Step	Action
1	If required, follow first aid procedures outlined in the student's Health Support Plan or other medical management plan.
2	Ring the Poisons Information Line, 13 11 26 and give details of the incident and the student.
3	Act immediately upon their advice, such as calling Triple Zero "000" if advised to do so.
4	Contact the student's parents/carers or emergency contact person to notify them of the medication error and action taken.
5	Review medication management procedures at the school in light of the incident.

In the case of an emergency, school staff may call Triple Zero "000" for an ambulance at any time.

Further Information and Resources

- Departments Policy and Advisory Library

<https://www2.education.vic.gov.au/pal/medication/policy>

- Mount Clear College Asthma Policy
- Mount Clear College Anaphylaxis Policy
- Mount Clear College First Aid Policy
- Mount Clear College Health Care Needs Policy
- Medication Log Template
- Medication Authority Template

Review Cycle and Evaluation

Version Date	February 2018, additional update June 2020 with new PAL Hyperlinks
Policy Date	March 2021
School Council Approval Date	Not Required
Person Responsible	Student Services Coordinator
Required Communication Methods	Staff Handbook / Induction process Staff Briefing / Bulletin Student Information Pack Newsletter Annually School website Compass
Next Review Date	March 2025
References	Departments Policy and Advisory Library https://www2.education.vic.gov.au/pal/medication/policy

APPENDIX I

MEDICATION AUTHORITY FORM

For students requiring medication to be administered at school

This form should, ideally, be signed by the student's medical/health practitioner for all medication to be administered at school but schools may proceed on the signed authority of parents in the absence of a signature from a medical practitioner.

- For students with asthma, [Asthma Australia's School Asthma Care Plan](#)
- For students with anaphylaxis, an [ASClA Action Plan for Anaphylaxis](#)

Please only complete the sections below that are relevant to the student's health support needs. If additional advice is required, please attach it to this form.

Please note: wherever possible, medication should be scheduled outside school hours, eg medication required three times daily is generally not required during a school day – it can be taken before and after school and before bed.

Student Details

Name of school: _____

Name of student: _____ Date of Birth: _____

MedicAlert Number (if relevant): _____

Review date for this form: _____

Medication to be administered at school:

Name of Medication	Dosage (amount)	Time/s to be taken	How is it to be taken? (eg oral/topical/injection)	Dates to be administered	Supervision required
				Start: / / End: / / OR <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer
				Start: / / End: / / OR <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer

Medication delivered to the school

Please indicate if there are any specific storage instructions for any medication:

Medication delivered to the school

Please ensure that medication delivered to the school:

- Is in its original package
- The pharmacy label matches the information included in this form

Supervision required

Students in the early years will generally need supervision of their medication and other aspects of health care management. In line with their age and stage of development and capabilities, older students can take responsibility for their own health care. Self-management should be agreed to by the student and their parents/carers, the school and the student's medical/health practitioner.

Please describe what supervision or assistance is required by the student when taking medication at school (e.g. remind, observe, assist or administer):

Monitoring effects of medication

Please note: School staff **do not** monitor the effects of medication and will seek emergency medical assistance if concerned about a student's behaviour following medication.

Privacy Statement

We collect personal and health information to plan for and support the health care needs of our students. Information collected will be used and disclosed in accordance with the Department of Education and Training's privacy policy which applies to all government schools (available at: <http://www.education.vic.gov.au/Pages/schoolsprivacypolicy.aspx>) and the law.

Authorisation to administer medication in accordance with this form:

Name of parent/carer: _____

Signature: _____ Date: _____

Name of medical/health practitioner: _____

Professional role: _____

Signature: _____ Date: _____

Contact details: _____

APPENDIX II

MEDICATION ADMINISTRATION LOG

For students requiring medication to be administered at school

This log should be completed by the staff member administering medication to any student at the school.

Name of student: _____ Year level: _____

Date	Time	Name of Medication and Dose	Tick when checked ✓				Comments	Staff member administering (print name and initial)	Staff member checking* (print name and initial)
			Correct Child	Correct Medication	Correct Dose	Correct Route			

***Cross-checking:** It is recognised that in many school settings medication is administered using a system of two staff members checking that medication is correctly administered. This is an appropriate added safety measure and is seen as good practice.



MountClear College

Health Care Needs Policy

Purpose

To ensure that Mount Clear College provides appropriate support to students with health care needs.

Objective

To explain to Mount Clear College parents, carers, staff and students the processes and procedures in place to support students with health care needs at school.

Scope

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with a health care need that may require support, monitoring or medication at school.

Policy

This policy should be read with Mount Clear College's First Aid, Administration of Medication, Anaphylaxis and Asthma policies.

Student health support planning

In order to provide appropriate support to students at Mount Clear College who may need medical care or assistance, a Student Health Support Plan will be prepared by the First Aid Officer in consultation with the student, their parents, carers and treating medical practitioners.

Student Health Support plans help our school to assist students with:

- routine health care support needs, such as supervision or provision of medication
- personal care support needs, such as assistance with personal hygiene, continence care, eating and drinking, transfers and positioning, and use of health-related equipment
- emergency care needs, such as predictable emergency first aid associated with asthma, seizure or diabetes management.

Note: Template health planning forms are available here:
<http://www2.education.vic.gov.au/pal/health-care-needs/resources>

Students with complex medical care needs, for example, tracheostomy care, seizure management or tube feeding, must have a Student Health Support Plan which provides for appropriate staff to undertake specific training to meet the student's particular needs.

At enrolment or when a health care need is identified, parents/carers should provide accurate information about the student's condition or health care needs, ideally documented by the student's treating medical/health care practitioner on a Medical Advice Form (or relevant equivalent)

Note: Template health planning forms are available here:
<http://www2.education.vic.gov.au/pal/health-care-needs/resources>

Mount Clear College may invite parents and carers to attend a Student Support Group meeting to discuss the contents of a student's Health Support Plan and assistance that the student may need at school or during school activities.

Where necessary, Mount Clear College may also request consent from parents and carers to consult with a student's medical practitioners, to assist in preparing the plan and ensure that appropriate school staff understand the student's needs.

Student Health Support Plans will be reviewed:

- when updated information is received from the student's medical practitioner
- when the school, student or parents and carers have concerns with the support being provided to the student
- if there are changes to the support being provided to the student, or
- on an annual basis.

Management of confidential medical information

Confidential medical information provided to Mount Clear College to support a student will be:

- recorded on the student's file
- shared with all relevant staff so that they are able to properly support students diagnosed with medical conditions and respond appropriately if necessary.

Further Information and Resources

- the Department's Policy and Advisory Library:
 - [Health Care Needs](#)
 - [Health Support Planning Forms](#)
 - [Complex Medical Care Supports](#)
- Mount Clear College Student Medication Policy
- Mount Clear College Asthma Policy
- Mount Clear College Anaphylaxis Policy
- Mount Clear College First Aid Policy

Review Cycle and Evaluation

Version Date	February 2018, additional update June 2020 with new PAL Hyperlinks
Policy Date	March 2021
School Council Approval Date	Not Required
Person Responsible	Student Services Coordinator
Required Communication Methods	Staff Handbook / Induction process Staff Briefing / Bulletin Student Information Pack Newsletter Annually School website Compass
Next Review Date	March 2025
References	http://www2.education.vic.gov.au/pal/health-care-needs/resources Health Care Needs Health Support Planning Forms Complex Medical Needs